
SC100[™] Upright Scrubber





Advance SC100™ Upright Scrubber

For generations the mop and bucket was the only option for cleaning small spaces, but simply spreading dirt around is neither effective nor sanitary. This is why Advance developed the SC100™ Upright Scrubber. Not only does its compact, lightweight design allow you to clean very tight areas, but its superior productivity gets the job done fast, giving you more time for other tasks.

The faster way to cleaner floors.



The Advance SC100's convenient, easy-to-use features make it perfect for cleaning small, high-traffic spaces quickly and effectively. The single-pass scrub and dry performance provides quick access to cleaned areas, and the comfortable, two-hand grip combined with its light weight make maneuverability and transport easy for any operator.

A cleaner clean.



With a more effective cleaning system that removes dirt and water rather than spreading it around like a traditional mop, you not only decrease chances for slip-and-falls, but you create a more hygienic environment, as well.

Save time. Reduce costs.



The Advance SC100™ Upright Scrubber can help you minimize wasted energy, time and solution. Two solution flow settings provide efficient cleaning, and a convenient dosing cap ensures you always use the right amount of detergent—while cutting your overall cost to clean.

Optional carpet care kit.



Freshen up smaller carpets, including removal of spots, by adding an optional carpet kit. Brush and squeegees can be removed without any tools making daily maintenance operations easy and fast.

Low profile. High performance.









Machine functions stop when in the upright position.



Solution tank dispenses only clean solution unlike a traditional mop-and-bucket.



Optional manual suction hose offers the ability to reach less accessible areas.

Under the hood.

SC100™ Specifications

Models	SC100 [™]	SC100 [™] Complete
Cleaning Width	12.2 in (31 cm)	
Performance Per Hour	2,434 / 1,590 ft ²	2,434 / 1,590 ft ²
(Theoretical / Practical)	(226 / 147 m²)	(226 / 147 m²)
Brush Speed	2,100 rpm	
Squeegee Width	12.6 in (32.1 cm)	
Solution Capacity	0.8 gal (3 L)	
Waterlift	72 in H ₂ 0 (180 mBar)	
Airflow	33.9 CFM (16 L/sec)	
Solution Flow	0/0.05/0.11 gal/min (0/0.2/0.42 L/min)	
Runtime Per Tank	up to 16 min	
Recovery Capacity	1 gal (4 L)	
Vacuum Motor	0.94 hp (700 W)	
Dimensions L x W x H	15.75 in x 14.2 in x 45.3 in (40 cm x 36 cm x 115 cm)	
Weight (with Cord)	26.5 lb (12 kg) / 33.1 lb (15 kg) w/ solution	
Sound Level	72 ± 2 dB A	
Cord Length	33 ft (10 m)	50 ft (15 m)
Detachable Cord	Standard	
Automatic Solution Shut Off	Standard	
Medium Brush (1)	Standard	
Squeegee Blades (2)	Standard	
Two Hands Working Handle	Standard	
Two Solution Flow Rates	Standard	
Out of Solution LED Indicator	Standard	
Manual Suction Hose	Optional	Standard
Carpet Care Kit	Optional	Standard
Fill Horizontal and Vertical	Standard	
Audible Locking Noise	Standard	
Double Scrubbing	Standard	
Dosing Cup Integrated into	Standard	
Solution Cap	Stariuaru	
Quick Cord Clip	Standard	
Onboard Storage	Optional	
Part Number	107408120	107408121

Specifications subject to change without notice.



SC100™

SC100™

Available Accessories:

- Medium nylon brush, white (pn 107411860)
- Hard nylon brush, black (pn 107411861)
- Microfiber brush, white (pn 107411862)
- Carpet brush, blue (pn 107411863)
- Squeegee blade kit, includes two (pn 107411867)
- Carpet vacuum shoes, includes two (pn 107411868)
- Off aisle hose and wand kit (pn 107411864)
- Carpet care kit (pn 107411865)
- Accessory bag kit (pn 107414568)
- Replacement two handle (pn 107413470)
- Detachable 33 foot power cord (pn 107416428)
- Detachable 50 foot power cord (pn 107416424)

9435 Winnetka Avenue North Brooklyn Park, MN 55445 www.advance-us.com Phone 800-850-5559 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.ca Phone 800-668-8400 Fax 800-263-5111



Visit http://www.advance-us.com or contact your Advance sales representative to learn more.

©2016 Nilfisk, Inc. Form L3435A 4-7-16

